

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	68110	(distribut\$3 or assign\$3 or programmed or program or programming or programmable) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:26
L2	75	(adc or (analog adj3 digital)) near4 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:28
L3	281	((individual\$2 or independent\$2) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable)) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:31
L4	1	(adc or (analog adj3 digital)) with 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:32
L5	4	(adc or (analog adj3 digital)) same 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:29
L6	2145	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value)) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:34
L7	10	(adc or (analog adj3 digital)) with 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:32
L8	2716	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value)) adj2 (reference or voltage or threshold or potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:34

L9	3	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value or defined or single)) adj2 (reference or voltage or threshold or potential) near5 (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:36
L10	11	((individual\$2 or independent\$2 or unique or arbitrar\$3 or random\$2) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value or defined or single or generat\$3 or provid\$3)) adj2 (reference or voltage or threshold or potential) near5 (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	68110	(distribut\$3 or assign\$3 or programmed or program or programming or programmable) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:26
L2	75	(adc or (analog adj3 digital)) near4 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:28
L3	281	((individual\$2 or independent\$2) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable)) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:31
L4	1	(adc or (analog adj3 digital)) with 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:32
L5	4	(adc or (analog adj3 digital)) same 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:29
L6	2145	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value)) adj2 (reference or voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:34
L7	10	(adc or (analog adj3 digital)) with 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:32
L8	2716	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value)) adj2 (reference or voltage or threshold or potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:34

L9	3	((individual\$2 or independent\$2 or unique) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value or defined or single)) adj2 (reference or voltage or threshold or potential) near5 (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:36
L10	11	((individual\$2 or independent\$2 or unique or arbitrar\$3 or random\$2) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value or defined or single or generat\$3 or provid\$3)) adj2 (reference or voltage or threshold or potential) near5 (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:39
L11	11	((individual\$2 or independent\$2 or unique or arbitrar\$3 or random\$2) near2 (distribut\$3 or assign\$3 or programmed or program or programming or programmable or set or value or defined or single or generat\$3 or provid\$3 or predefin\$3 or (pre adj2 (defin\$3 or monitor\$3 or determin\$3)))) adj2 (reference or voltage or threshold or potential) near5 (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 08:39

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3880	compar\$5 adj5 encoder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:36
L2	1305	flash adj (adc or (analog adj3 digital))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:37
L3	124	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:37
L4	22	1 with 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 10:37